

Dataset contains detailed measurements of physical features of seasonal snow cover, according to International Classification of Seasonal Snow on the Ground (Fierz *et al.* 2009). Fieldwork has been done during peak of accumulation on several glaciers in the region of Hornsund, Svalbard:

Amundsenisen (2013)

Hansbreen (three sites; 2010, 2012, 2013, 2014, 2015, 2017, 2018)

Werenskioldbreen (two sites; 2013, 2015)

Nannbreen (2013)

Ariebreen (2014)

**Acknowledgements:** Research Council of Norway, Arctic Field Grant 2013: Spatial distribution of snow cover and drainage systems on the glaciers on Wedel Jarlsberg Land (RIS ID: 6158); the National Science Centre PRELUDIUM 4: Role of meltwater from snow cover for supplying drainage systems of the Spitsbergen glaciers (2012/07/N/ST10/03784)

**References:**

Laska M., Luks B., Budzik T., 2016. Influence of snowpack internal structure on snow metamorphism and melting intensity on Hansbreen, Svalbard. *Polish Polar Research*, 37(2): 193–218. doi:10.1515/popore-2016-0012

Laska M., Grabiec M., Ignatiuk D., Budzik T., 2017. Snow deposition patterns on southern Spitsbergen glaciers, Svalbard, in relation to recent meteorological conditions and local topography. *Geografiska Annaler, Series A: Physical Geography*, 99(3): 262–287  
doi:10.1080/04353676.2017.1327321

Laska M., Barzycka B., Luks B., 2017. Melting Characteristics of Snow Cover on Tidewater Glaciers in Hornsund Fjord, Svalbard. *Water*, 9(10), 804. doi:10.3390/w9100804

**Data available on request**

**Contact:** Michał Laska (University of Silesia, Poland) [michal.laska@us.edu.pl](mailto:michal.laska@us.edu.pl)

**Data sample:**

